

Line measurement

Customer:

Date/place:

Inspector:

Model/Size:

Serial-Nr.

Date of manufactory

Riser:

Steering lines

Tolerance:



| Riser length | | | | |
|--------------|----|---|---|---|
| A1 | A2 | B | C | D |
| | | | | |

| Area cm | | |
|---------|------|--|
| Span | Cord | |
| | | |

Note:

Pull force

| A level | | | |
|---------|---------|-------|----|
| measure | nominal | Dif-A | Sy |
| 24 R | | | |
| 23 | | | |
| 22 | | | |
| 21 | | | |
| 20 | | | |
| 19 | | | |
| 18 | | | |
| 17 | | | |
| 16 | | | |
| 15 | | | |
| 14 | 5090 | -5090 | |
| 13 | 5160 | -5160 | |
| 12 | 5385 | -5385 | |
| 11 | 5375 | -5375 | |
| 10 | 5405 | -5405 | |
| 9 | 5485 | -5485 | |
| 8 | 5515 | -5515 | |
| 7 | 5585 | -5585 | |
| 6 | 5630 | -5630 | |
| 5 | 5584 | -5584 | |
| 4 | 5589 | -5589 | |
| 3 | 5595 | -5595 | |
| 2 | 5604 | -5604 | |
| 1 | 5665 | -5665 | |
| 1 | 5665 | -5665 | |
| 2 | 5604 | -5604 | |
| 3 | 5595 | -5595 | |
| 4 | 5589 | -5589 | |
| 5 | 5584 | -5584 | |
| 6 | 5630 | -5630 | |
| 7 | 5585 | -5585 | |
| 8 | 5515 | -5515 | |
| 9 | 5485 | -5485 | |
| 10 | 5405 | -5405 | |
| 11 | 5375 | -5375 | |
| 12 | 5385 | -5385 | |
| 13 | 5160 | -5160 | |
| 14 | 5090 | -5090 | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 L | | | |

| B level | | | |
|---------|---------|-------|----|
| measure | nominal | Dif-B | Sy |
| 24 R | | | |
| 23 | | | |
| 22 | | | |
| 21 | | | |
| 20 | | | |
| 19 | | | |
| 18 | | | |
| 17 | | | |
| 16 | | | |
| 15 | | | |
| 14 | | | |
| 13 | | | |
| 12 | | | |
| 11 | | | |
| 10 | | | |
| 9 | | | |
| 8 | | | |
| 7 | | | |
| 6 | 5610 | -5610 | |
| 5 | 5559 | -5559 | |
| 4 | 5559 | -5559 | |
| 3 | 5565 | -5565 | |
| 2 | 5574 | -5574 | |
| 1 | 5635 | -5635 | |
| 1 | 5635 | -5635 | |
| 2 | 5574 | -5574 | |
| 3 | 5565 | -5565 | |
| 4 | 5559 | -5559 | |
| 5 | 5559 | -5559 | |
| 6 | 5610 | -5610 | |
| 7 | | | |
| 8 | | | |
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 L | | | |

| C level | | | |
|---------|---------|-------|----|
| measure | nominal | Dif-C | Sy |
| 24 R | | | |
| 23 | | | |
| 22 | | | |
| 21 | | | |
| 20 | | | |
| 19 | | | |
| 18 | | | |
| 17 | | | |
| 16 | | | |
| 15 | | | |
| 14 | 5140 | -5140 | |
| 13 | 5195 | -5195 | |
| 12 | 5360 | -5360 | |
| 11 | 5360 | -5360 | |
| 10 | 5385 | -5385 | |
| 9 | 5460 | -5460 | |
| 8 | 5485 | -5485 | |
| 7 | 5545 | -5545 | |
| 6 | 5610 | -5610 | |
| 5 | 5555 | -5555 | |
| 4 | 5550 | -5550 | |
| 3 | 5555 | -5555 | |
| 2 | 5560 | -5560 | |
| 1 | 5630 | -5630 | |
| 1 | 5630 | -5630 | |
| 2 | 5560 | -5560 | |
| 3 | 5555 | -5555 | |
| 4 | 5550 | -5550 | |
| 5 | 5555 | -5555 | |
| 6 | 5610 | -5610 | |
| 7 | 5545 | -5545 | |
| 8 | 5485 | -5485 | |
| 9 | 5460 | -5460 | |
| 10 | 5385 | -5385 | |
| 11 | 5360 | -5360 | |
| 12 | 5360 | -5360 | |
| 13 | 5195 | -5195 | |
| 14 | 5140 | -5140 | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 L | | | |

| D level | | | |
|---------|---------|-------|----|
| measure | nominal | Dif-D | Sy |
| 24 R | | | |
| 23 | | | |
| 22 | | | |
| 21 | | | |
| 20 | | | |
| 19 | | | |
| 18 | | | |
| 17 | | | |
| 16 | | | |
| 15 | | | |
| 14 | | | |
| 13 | | | |
| 12 | | | |
| 11 | 5525 | -5525 | |
| 10 | 5560 | -5560 | |
| 9 | 5625 | -5625 | |
| 8 | 5680 | -5680 | |
| 7 | 5635 | -5635 | |
| 6 | 5640 | -5640 | |
| 5 | 5700 | -5700 | |
| 4 | 5635 | -5635 | |
| 3 | 5650 | -5650 | |
| 2 | 5715 | -5715 | |
| 1 | 5840 | -5840 | |
| 1 | 5840 | -5840 | |
| 2 | 5715 | -5715 | |
| 3 | 5650 | -5650 | |
| 4 | 5635 | -5635 | |
| 5 | 5700 | -5700 | |
| 6 | 5640 | -5640 | |
| 7 | 5635 | -5635 | |
| 8 | 5680 | -5680 | |
| 9 | 5625 | -5625 | |
| 10 | 5560 | -5560 | |
| 11 | 5525 | -5525 | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 L | | | |

| E level | | | |
|---------|---------|-------|----|
| measure | nominal | Dif-E | Sy |
| 24 R | | | |
| 23 | | | |
| 22 | | | |
| 21 | | | |
| 20 | | | |
| 19 | | | |
| 18 | | | |
| 17 | | | |
| 16 | | | |
| 15 | | | |
| 14 | | | |
| 13 | | | |
| 12 | | | |
| 11 | | | |
| 10 | | | |
| 9 | | | |
| 8 | | | |
| 7 | | | |
| 6 | | | |
| 5 | | | |
| 4 | | | |
| 3 | | | |
| 2 | | | |
| 1 | | | |
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 L | | | |

| Brake Lines | | | |
|-------------|---------|--------|----|
| measure | nominal | Dif-BL | Sy |
| 24 R | | | |
| 23 | | | |
| 22 | | | |
| 21 | | | |
| 20 | | | |
| 19 | | | |
| 18 | | | |
| 17 | | | |
| 16 | | | |
| 15 | | | |
| 14 | | | |
| 13 | | | |
| 12 | | | |
| 11 | | | |
| 10 | | | |
| 9 | | | |
| 8 | 5340 | -5340 | |
| 7 | 5315 | -5315 | |
| 6 | 5400 | -5400 | |
| 5 | 5390 | -5390 | |
| 4 | 5440 | -5440 | |
| 3 | 5570 | -5570 | |
| 2 | 5720 | -5720 | |
| 1 | 5935 | -5935 | |
| 1 | 5935 | -5935 | |
| 2 | 5720 | -5720 | |
| 3 | 5570 | -5570 | |
| 4 | 5440 | -5440 | |
| 5 | 5390 | -5390 | |
| 6 | 5400 | -5400 | |
| 7 | 5315 | -5315 | |
| 8 | 5340 | -5340 | |
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 L | | | |

| | | | | | | | | | | |
|--------------------------------|----------|------|------------|------|----------|------|----------|------|----------|------|
| xs24-16_rev3 - LOCO 16 | | | | | | | | | | |
| Linked Line Check Sheet | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | A | | Axb | | B | | C | | K | |
| | Name | | Name | | Name | | Name | | Name | |
| 1 | A1a | 5665 | A1b | 5635 | B1 | 5630 | C1 | 5840 | K1 | 5935 |
| 2 | A2a | 5604 | A2b | 5574 | B2 | 5560 | C2 | 5715 | K2 | 5720 |
| 3 | A3a | 5595 | A3b | 5565 | B3 | 5555 | C3 | 5650 | K3 | 5570 |
| 4 | A4a | 5589 | A4b | 5559 | B4 | 5550 | C4 | 5635 | K4 | 5440 |
| 5 | A5a | 5584 | A5b | 5559 | B5 | 5555 | C5 | 5700 | K5 | 5390 |
| 6 | A6a | 5630 | A6b | 5610 | B6 | 5610 | C6 | 5640 | K6 | 5400 |
| 7 | A7 | 5585 | | | B7 | 5545 | C7 | 5635 | K7 | 5315 |
| 8 | A8 | 5515 | | | B8 | 5485 | C8 | 5680 | K8 | 5340 |
| 9 | A9 | 5485 | | | B9 | 5460 | C9 | 5625 | | |
| 10 | A10 | 5405 | | | B10 | 5385 | C10 | 5560 | | |
| 11 | A11 | 5375 | | | B11 | 5360 | C11 | 5525 | | |
| 12 | A12 | 5385 | | | B12 | 5360 | | | | |
| 13 | A13 | 5160 | | | B13 | 5195 | | | | |
| 14 | A14 | 5090 | | | B14 | 5140 | | | | |

| | | | | | |
|------------------------------------|------------|---------------|------------|--|--|
| XS24-16 rev3 - LOCO 16 | | | | | |
| | | | | | |
| 8001-090 772 Magenta | | | | | |
| Name | No. | Length | INI | | |
| A6b | 2 | 185 | | | |
| A5b | 2 | 190 | | | |
| A4b | 2 | 195 | | | |
| A6a, A1b, A2b, A3b | 8 | 205 | | | |
| A5a | 2 | 215 | | | |
| A4a | 2 | 225 | | | |
| A1a, A2a, A3a | 6 | 235 | | | |
| A11 | 2 | 985 | | | |
| A12 | 2 | 995 | | | |
| A10 | 2 | 1015 | | | |
| A9 | 2 | 1095 | | | |
| A8 | 2 | 1125 | | | |
| A7 | 2 | 1195 | | | |
| 1K2, 1K3 | 4 | 1820 | both sides | | |
| 1K4 | 2 | 2030 | both sides | | |
| 1K1 | 2 | 2080 | both sides | | |
| | | | | | |
| 8001-050 772 Magenta | | | | | |
| Name | No. | Length | | | |
| A14 | 2 | 540 | | | |
| B14 | 2 | 590 | | | |
| A13 | 2 | 840 | | | |
| B13 | 2 | 875 | | | |
| | | | | | |
| 8001-070 772 Magenta | | | | | |
| Name | No. | Length | INI | | |
| 1B11 | 2 | 235 | both sides | | |
| B9 | 2 | 390 | | | |
| B8 | 2 | 420 | | | |
| B7 | 2 | 440 | | | |
| B6 | 2 | 495 | | | |
| B5 | 2 | 500 | | | |
| B4 | 2 | 510 | | | |
| B2, B3 | 4 | 525 | | | |
| B1 | 2 | 535 | | | |
| 1B3 | 2 | 595 | both sides | | |
| 1B2 | 2 | 600 | both sides | | |
| 1B4 | 2 | 605 | both sides | | |
| 1B5 | 2 | 620 | both sides | | |
| 1B1 | 2 | 660 | both sides | | |
| 1B6 | 2 | 680 | both sides | | |
| 1B8 | 2 | 685 | both sides | | |
| 1B9 | 2 | 690 | both sides | | |
| 1B7 | 2 | 725 | both sides | | |
| 1B10 | 2 | 950 | both sides | | |
| B11, B12 | 4 | 970 | | | |
| B10 | 2 | 995 | | | |
| | | | | | |
| 9200-035 - 2 9200 035 001 0 | | | | | |
| Name | No. | Length | | | |
| C11 | 2 | 455 | | | |
| C10, K7 | 4 | 495 | | | |
| C9, K8 | 4 | 520 | | | |
| C8 | 2 | 565 | | | |
| C7 | 2 | 580 | | | |
| C6 | 2 | 600 | | | |
| C4 | 2 | 605 | | | |

| | | | | | |
|---|------------|---------------|------------|-------------------------|-----------------|
| C3 | 2 | 615 | | | |
| C2 | 2 | 620 | | | |
| C5 | 2 | 670 | | | |
| C1 | 2 | 745 | | | |
| K5 | 2 | 780 | | | |
| K6 | 2 | 790 | | | |
| K4 | 2 | 830 | | | |
| K2 | 2 | 850 | | | |
| K3 | 2 | 960 | | | |
| K1 | 2 | 1065 | | | |
| | | | | | |
| | | | | | |
| 8001-130 772 Magenta | | | | | |
| Name | No. | Length | INI | | |
| 1A3 | 2 | 935 | both sides | | |
| 1A4 | 2 | 939 | both sides | | |
| 1A2, 1A5 | 4 | 944 | both sides | | |
| 1A8 | 2 | 955 | both sides | | |
| 1A6 | 2 | 1000 | both sides | | |
| 1A1 | 2 | 1005 | both sides | | |
| | | | | | |
| | | | | | |
| 8001-230 772 Magenta | | | | | |
| Name | No. | Length | INI | | |
| 1A7 | 2 | 957 | both sides | | |
| | | | | | |
| | | | | | |
| 8001-280 772 Magenta | | | | | |
| Name | No. | Length | INI | | |
| 2A1, 2A2 | 4 | 1560 | both sides | | |
| | | | | | |
| | | | | | |
| 8001-130 300 blue | | | | | |
| Name | No. | Length | INI | | |
| 2B3 | 2 | 950 | both sides | | |
| 2B1, 2B2 | 4 | 1560 | both sides | | |
| BR2 | 2 | 2995 | top side | blue sleeve lower side | loop at Maillon |
| | | | | | |
| | | | | | |
| 8001-360 772 Magenta | | | | | |
| Name | No. | Length | INI | | |
| AR1 | 2 | 2425 | top side | red sleeve lower side | |
| AR2 | 2 | 2980 | top side | red sleeve lower side | |
| | | | | | |
| | | | | | |
| 8001-190 300 blue | | | | | |
| Name | No. | Length | INI | | |
| BR1 | 2 | 2440 | top side | blue sleeve lower side | loop at Maillon |
| | | | | | |
| | | | | | |
| 8000/U-130 --- 2 8000 130 002 0 grey | | | | | |
| Name | No. | Length | INI | | |
| BR3 | 2 | 3865 | top side | green sleeve lower side | loop at Maillon |
| | | | | | |
| | | | | | |
| PPSL200 yellow | | | | | |
| Name | No. | Length | | | |
| KR1 | 2 | 2760 | | sleeve lower side | |