

Line measurement

Customer:

Date/place:

Inspector:

Model/Size:

Serial-Nr.

Date of manufactory

Riser:

Steering lines

Tolerance:



Riser length				
A1	A2	B	C	D

Area cm		
Span	Cord	

Note:

Pull force

A level			
measure	nominal	Dif-A	Sy
24 R			
23			
22			
21			
20			
19			
18			
17			
16			
15	5475	-5475	
14	5560	-5560	
13	5645	-5645	
12	5800	-5800	
11	5825	-5825	
10	5880	-5880	
9	5940	-5940	
8	6010	-6010	
7	5995	-5995	
6	6000	-6000	
5	6030	-6030	
4	6030	-6030	
3	6005	-6005	
2	6010	-6010	
1	6050	-6050	
1	6050	-6050	
2	6010	-6010	
3	6005	-6005	
4	6030	-6030	
5	6030	-6030	
6	6000	-6000	
7	5995	-5995	
8	6010	-6010	
9	5940	-5940	
10	5880	-5880	
11	5825	-5825	
12	5800	-5800	
13	5645	-5645	
14	5560	-5560	
15	5475	-5475	
16			
17			
18			
19			
20			
21			
22			
23			
24 L			

B level			
measure	nominal	Dif-B	Sy
24 R			
23			
22			
21			
20			
19			
18			
17			
16			
15	5515	-5515	
14	5545	-5545	
13	5610	-5610	
12	5750	-5750	
11	5770	-5770	
10	5820	-5820	
9	5875	-5875	
8	5955	-5955	
7	5935	-5935	
6	5940	-5940	
5	5970	-5970	
4	5970	-5970	
3	5940	-5940	
2	5945	-5945	
1	5985	-5985	
1	5985	-5985	
2	5945	-5945	
3	5940	-5940	
4	5970	-5970	
5	5970	-5970	
6	5940	-5940	
7	5935	-5935	
8	5955	-5955	
9	5875	-5875	
10	5820	-5820	
11	5770	-5770	
12	5750	-5750	
13	5610	-5610	
14	5545	-5545	
15	5515	-5515	
16			
17			
18			
19			
20			
21			
22			
23			
24 L			

C level			
measure	nominal	Dif-C	Sy
24 R			
23			
22			
21			
20			
19			
18			
17			
16			
15			
14	5595	-5595	
13	5675	-5675	
12	5757	-5757	
11	5787	-5787	
10	5850	-5850	
9	5912	-5912	
8	6025	-6025	
7	6010	-6010	
6	6020	-6020	
5	6050	-6050	
4	6050	-6050	
3	6030	-6030	
2	6035	-6035	
1	6075	-6075	
1	6075	-6075	
2	6035	-6035	
3	6030	-6030	
4	6050	-6050	
5	6050	-6050	
6	6020	-6020	
7	6010	-6010	
8	6025	-6025	
9	5912	-5912	
10	5850	-5850	
11	5787	-5787	
12	5757	-5757	
13	5675	-5675	
14	5595	-5595	
15			
16			
17			
18			
19			
20			
21			
22			
23			
24 L			

D level			
measure	nominal	Dif-D	Sy
24 R			
23			
22			
21			
20			
19			
18			
17			
16			
15			
14			
13			
12			
11			
10	6105	-6105	
9	6105	-6105	
8	6120	-6120	
7	6165	-6165	
6	6260	-6260	
5	6160	-6160	
4	6165	-6165	
3	6165	-6165	
2	6195	-6195	
1	6325	-6325	
1	6325	-6325	
2	6195	-6195	
3	6165	-6165	
4	6165	-6165	
5	6160	-6160	
6	6260	-6260	
7	6165	-6165	
8	6120	-6120	
9	6105	-6105	
10	6105	-6105	
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24 L			

E level			
measure	nominal	Dif-E	Sy
24 R			
23			
22			
21			
20			
19			
18			
17			
16			
15			
14			
13			
12			
11			
10			
9			
8			
7			
6			
5			
4			
3			
2			
1			
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24 L			

Brake Lines			
measure	nominal	Dif-BL	Sy
24 R			
23			
22			
21			
20			
19			
18			
17			
16			
15			
14			
13			
12			
11			
10			
9			
8	5760	-5760	
7	5735	-5735	
6	5802	-5802	
5	5795	-5795	
4	5862	-5862	
3	5995	-5995	
2	6150	-6150	
1	6370	-6370	
1	6370	-6370	
2	6150	-6150	
3	5995	-5995	
4	5862	-5862	
5	5795	-5795	
6	5802	-5802	
7	5735	-5735	
8	5760	-5760	
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24 L			

XA20XXS rev1 - EAZY3 XXS										
Linked Line Check Sheet										
	A		B		C		D		K	
	Name		Name		Name		Name		Name	
1	A1	6050	B1	5985	C1	6075	D1	6325	K1	6370
2	A2	6010	B2	5945	C2	6035	D2	6195	K2	6150
3	A3	6005	B3	5940	C3	6030	D3	6165	K3	5995
4	A4	6030	B4	5970	C4	6050	D4	6165	K4	5862
5	A5	6030	B5	5970	C5	6050	D5	6160	K5	5795
6	A6	6000	B6	5940	C6	6020	D6	6260	K6	5802
7	A7	5995	B7	5935	C7	6010	D7	6165	K7	5735
8	A8	6010	B8	5955	C8	6025	D8	6120	K8	5760
9	A9	5940	B9	5875	C9	5912	D9	6105		
10	A10	5880	B10	5820	C10	5850	D10	6105		
11	A11	5825	B11	5770	C11	5787				
12	A12	5800	B12	5750	C12	5757				
13	A13	5645	B13	5610	C13	5675				
14	A14	5560	B14	5545	C14	5595				
15	A15	5475	B15	5515						

XA20XXS rev1 - EAZY3 XXS		
DSL70 red		
Name	No.	Length
B14	2	390
A14	2	405
C14	2	440
B13	2	455
A13	2	490
C13	2	520
B12	2	525
C12	2	532
B11	2	545
B10	2	555
C11	2	562
A12	2	575
C10	2	585
C7	2	595
A11	2	600
B7, C6	4	605
B3, B6, B9, C8	8	610
A10, B2, C3	6	615
C2	2	620
B8	2	625
C4, C5	4	635
B4, B5	4	640
D9, D10	4	645
C9	2	647
B1	2	655
C1, D8	4	660
A7	2	665
A6	2	670
A3, A9	4	675
A2, A8	4	680
A4, AD5	6	700
D3, D4, D7	6	705
A1	2	720
D2	2	735
A15	2	755
B15	2	795
D6	2	800
D1	2	865
DSL70 yellow		
Name	No.	Length
K7	2	540
K8	2	565
K5	2	820
K6	2	827

K4	2	887
K2	2	955
K3	2	1020
K1	2	1175
PPSL120 red		
Name	No.	Length
1C3, 1C4	4	290
1D3, 1D4	4	335
1C1, 1C2	4	360
1D1, 1D2	4	405
1A8, 2C1, 2C2	6	720
2C3, 2C4	4	790
1ABC6	6	945
1AB1, 1AB2, 1AB3, 1AB4, 1ABC5	22	985
1ABC7	6	1155
PPSL120 yellow		
Name	No.	Length
1K2, 1K3	4	2005
1K1, 1K4	4	2225
A-7343-280 - 2 7343 280 222 0 red		
Name	No.	Length
AR3	2	3805
AR1, AR2	4	3870
A-7343-280 - 2 7343 280 372 0 sky		
Name	No.	Length
BR3	2	3805
BR1, BR2	4	3870
A-7343-140 - 2 7343 140 400 0 green		
Name	No.	Length
BR4	2	3525
A-7343-280 - 2 7343 280 400 0 green		
Name	No.	Length
CR3	2	3805
CR1, CR2	4	3870
A-10/N-200 --- 2 0010 200 114 0 citro		
Name	No.	Length
KR1	2	2930